

Supplementary File 3. Peak weekly incidence, start and duration of influenza-like illness in the Italian elderly and general population, by season

<i>Influenza season</i>	<i>Elderly</i>			<i>General population (all ages)</i>		
	<i>Peak incidence, ‰</i>	<i>Start of the epidemic period^a, Nth week</i>	<i>Duration of the epidemic period^a, N weeks</i>	<i>Peak incidence, ‰</i>	<i>Start of the epidemic period^a, Nth week</i>	<i>Duration of the epidemic period^a, N weeks</i>
1999/00	10.3	51	9	13.3	50	12
2000/01	1.7	–	0	6.2	3	8
2001/02	3.3	1	10	10.0	1	12
2002/03	10.3	6	8	16.0	2	13
2003/04	2.7	4	7	5.4	1	13
2004/05	10.3	53	13	16.0	52	14
2005/06	1.2	–	0	2.7	12	10
2006/07	2.9	4	5	8.5	2	10
2007/08	3.1	1	10	7.3	52	12
2008/09	4.3	1	10	8.3	52	13
2010/11	2.3	2	3	11.0	50	14
2011/12	3.8	2	8	9.6	51	13
2012/13	3.1	2	9	10.0	51	15
2013/14	2.4	2	7	6.7	51	15
2014/15	4.2	1	9	10.8	51	15
2015/16	1.8	–	0	6.1	52	15
2016/17	6.3	51	7	9.6	48	14
2017/18	8.6	50	12	14.7	48	17

Notes:

^aThe epidemic threshold is defined here as $\geq 2\%$

